Q.PRO-G4.1 260-270

STATISTICS PROFESSION

POLYCRYSTALLINE SOLAR MODULE

The new Q.PRO-G4.1 is the result of the continued evolution of our Q.PRO family. Thanks to improved power yield, excellent reliability, and high-level operational safety, the new Q.PRO-G4.1 generates electricity at a low cost (LCOE) and is suitable for a wide range of applications.



LOW LEVELIZED COST OF ELECTRICITY

Higher yield per surface area and lower BOS costs thanks to higher power classes and an efficiency rate of up to 16.5%.



INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behaviour.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q[™].



LIGHT-WEIGHT QUALITY FRAME

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



MAXIMUM COST REDUCTIONS

Up to 10% lower logistics costs due to higher module capacity per box.



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance guarantee².

THE IDEAL SOLUTION FOR:









Ground-mounted solar power plants








- ¹ APT test conditions: Cells at -1500V against grounded, with conductive metal foil covered module surface, 25°C,168h
- See data sheet on rear for further information.



Engineered in Germany

MECHANICAL SPECIFICATION

| MECHANICAE OI | |
|---------------|---|
| Format | $1670\text{mm}\times1000\text{mm}\times32\text{mm}$ (including frame) |
| Weight | 18.8 kg |
| Front Cover | 3.2 mm thermally pre-stressed glass with anti-reflection technology |
| Back Cover | Composite film |
| Frame | Anodised aluminium |
| Cell | 6×10 polycrystalline solar cells |
| Junction Box | 104mm 	imes 58mm 	imes 19mm Protection class IP67, with bypass diodes |
| Cable | 4mm^2 Solar cable; (+) $\geq 1000\text{mm}$, (-) $\geq 1000\text{mm}$ |
| Connector | Tonglin TL-Cable01S, IP67 |




ELECTRICAL CHARACTERISTICS

| PO | WER CLASS | | | 260 | 265 | 270 |
|---------|--|------------------|-------------------------|-----------------------|-------|-------|
| MI | NIMUM PERFORMANCE AT STANDARD TEST CON | DITIONS, ST | C ¹ (POWER T | OLERANCE +5 W /- 0 W) | | |
| | Power at MPP ² | PMPP | [W] | 260 | 265 | 270 |
| | Short Circuit Current* | Isc | [A] | 9.15 | 9.23 | 9.31 |
| Minimum | Open Circuit Voltage* | Voc | [V] | 37.77 | 38.01 | 38.24 |
| Mini | Current at MPP* | IMPP | [A] | 8.53 | 8.62 | 8.70 |
| 17 | Voltage at MPP* | V _{MPP} | [V] | 30.46 | 30.75 | 31.02 |
| | Efficiency ² | η | [%] | ≥15.6 | ≥15.9 | ≥16.2 |
| MI | NIMUM PERFORMANCE AT NORMAL OPERATING | CONDITIONS | , NOC ³ | | | |
| | Power at MPP ² | PMPP | [W] | 192.0 | 195.7 | 199.4 |
| Ξ | Short Circuit Current* | Isc | [A] | 7.38 | 7.44 | 7.51 |
| Minimum | Open Circuit Voltage* | Voc | [V] | 35.16 | 35.38 | 35.60 |
| Σ | Current at MPP* | IMPP | [A] | 6.68 | 6.75 | 6.81 |
| | Voltage at MPP* | V _{MPP} | [V] | 28.75 | 29.01 | 29.27 |

¹1000 W/m², 25 °C, spectrum AM 1.5 G 2 Measurement tolerances STC ± 3 %; NOC ± 5 % $^{-3}$ 800 W/m², NOCT, spectrum AM 1.5 G * typical values, actual values may differ

Q CELLS PERFORMANCE WARRANTY



At least 97 % of nominal power during first year. Thereafter max. 0.6 % degradation per year. At least 92 % of nominal power after 10 years. At least 83 % of nominal power after 25 years. All data within measurement tolerances.

Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.



Typical module performance under low irradiance conditions in comparison to STC conditions (25°C, 1000W/m²).

| Temperature Coefficient of Isc | α | [%/K] | +0.04 | Temperature Coefficient of Vac | β | [%/K] | -0.30 |
|--|------------------|-------|-----------|--|------|---------------------|-------|
| | u | | | | • | | |
| Temperature Coefficient of P _{MPP} | Ŷ | [%/K] | -0.41 | Normal Operating Cell Temperature | NOCT | [°C] | 45 |
| PROPERTIES FOR SYSTEM DES | SIGN | | | | | | |
| Maximum System Voltage | V _{sys} | [V] | 1000 | Safety Class | | II | |
| Maximum Reverse Current | I _R | [A] | 20 | Fire Rating | | С | |
| Wind/Snow Load (in accordance with IEC 61215) | | [Pa] | 4000/5400 | Permitted Module Temperature On Continuous Duty | | -40 °C up to +85 °C | |

QUALIFICATIONS AND CERTIFICATES

IEC 61215 (Ed. 2); IEC 61730 (Ed. 1), Application class A This data sheet complies with DIN EN 50380.

CE

NOTE: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS Australia Pty Ltd

1402, 20 Berry St., North Sydney NSW 2060, Australia | TEL +61(0) 290163033 | FAX +61(0) 290163032 | EMAIL q-cells-australia@q-cells.com | WEB www.q-cells.com.au

